Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 33

NUMBER 11

MARCH 15, 1918

WASHINGTON
GOVERNMENT PRINTING OFFICE
1918

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Methods for field study of industrial fatigue 349

PREVALENCE OF DISEASE.

United States:
- Extra-cantonment zones—Cases reported week ended March 2 354
- Disease conditions among troops in the United States 358
- Current State summaries—
  - Alabama 359
  - Arkansas 360
  - California 360
  - Connecticut 360
  - Indiana 360
  - Kansas 361
  - Louisiana 361
  - Massachusetts 361
  - Minnesota 361
  - Nebraska 361
  - Ohio 361
  - South Carolina 361
  - Vermont 362
  - Virginia 362
  - Washington 362
- Cerebrospinal meningitis—
  - California report for January, 1918 362
  - City reports for week ended February 23, 1918 362
- Erysipelas—
  - City reports for week ended February 23, 1918 363
- Leprosy—
  - City reports for week ended February 23, 1918 363
- Malaria—
  - California report for January, 1918 363
  - City reports for week ended February 23, 1918 364
- Pellagra—
  - California report for January, 1918 364
  - City reports for week ended February 23, 1918 364
- Pneumonia—
  - City reports for week ended February 23, 1918 364
- Poliomyelitis (infantile paralysis)—
  - California report for January, 1918 365
  - City reports for week ended February 23, 1918 365
- Rabies in man—
  - City reports for week ended February 23, 1918 365
- Smallpox—
  - Missouri—Kansas City 365
  - Texas—Eagle Pass—Virulent smallpox 365
  - Texas—Lamar County 365

United States—Continued.
Smallpox—Continued. Page.
California report for January, 1918 366
Miscellaneous State reports 366
City reports for week ended February 23, 1918 366
Tetanus—
City reports for week ended February 23, 1918 367
Typhoid fever—
State reports for December, 1917, and January, 1918 367
City reports for week ended February 23, 1918 368
Typhus fever—
Massachusetts—Chelsea 368
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for November, 1917, and January, 1918 368
City reports for week ended February 23, 1918 369
Foreign:
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended March 15, 1918—
Plague 373
Smallpox 373
Typhus fever 373
Reports received from December 29, 1917, to March 8, 1918—
Cholera 374
Plague 374
Smallpox 375
Typhus fever 377
Yellow fever 378